Manhole Inspection Summary M			anhole	7MH	
Printed On: 12/1	7/2008			Page 1	of 3
Inspection	☐ Is Incomplete	Rating: 3) Fair			
Record Plat: 33	BQQ Node: 007	Status: Found		Insp Date: 4/21/07 10	:55 AM
Incomplete Cor	mments			Crew: SP, DP	
				Inspector: Provine, D	
				Firm: PHO	
Location	Address: 2451 MAR	YLAND AVE		Cross Street: 25TH ST	
Manhole	Type: Terminal	_ocation: Alley		Ground Conditions: Dry	
	☐ Prev. Rehab	Weather: Dry	S	Subject To Ponding: None	
Comments					
Cover	Shape: Circular	Diameter: 24	, ,	, ,	(in.)
5	Type: Sanitary	Condition: Sou		Cover Material: Cast Iron	
Properties:	☐ Bolted ☐ Vente	d Water Tight	Water Ti	ight Insert	
Frame	Offset: 0 (in.)	Condition: Sound	d Crack	ked Leaks	
Chimney / Fra	me Adjustment 🗸	Exists Material: Brid	k	Parged Height:	6 (in.)
Condition:	✓ Sound ☐ Cracke	ed Root Intrusion	Loose	Brick Deteriorated	
Infiltration:	☐ None ✓ Joint	☐ Cracks ☐ Morta	r 🗌 Roots	☑ Wall	
Corbel	Material: Brick	☐ Parg	ed Type:	Concentric/Eccentric	
Condition:	✓ Sound ☐ Cracked ☐ Root Intrusion ☐ Loose Brick ☐ Deteriorated				
Infiltration:	✓ None ☐ Joint	☐ Cracks ☐ Mor	tar 🗌 Ro	ots 🗌 Wall	
Barrel	Material: Brick	☐ Parg	ed		
Shape:	Circular Dia	meter: 42 (in.) Len	gth: (in.)		
Condition:	☐ Sound ☐ Cracke	ed Root Intrusion	Loose	Brick Deteriorated	
Infiltration:	☐ None ☐ Joint	☐ Cracks ✓ Mo	rtar 🗌 Ro	ots 🗸 Wall	
Bench	Exists Material:		☐ Parge	d Debris (not Condition re	lated)
Condition:	☐ Sound ☐ Cracke	ed Root Intrusion	Deteri	orated Leaks Debris	
Channel	Material: Brick	☐ Parg	ed 🗸 Deb	ris (not Condition related)	
Channel E	xposure: Fully Open	Junc Dist: 0	nearest .	5 ft. Azimuth:	
Condition:	✓ Sound ☐ Cracke	ed Root Intrusion	Deteri	orated Leaks Debris	
Steps	Count: 3 Missing:	0 Corroded			
Surcharge	Evidence Of Surcl	narge Depth:	(ft.) Activ	ve Surcharge Present	

Manhole Inspection Summary

Manhole # S33QQ_007MH

Printed On: 12/17/2008 Page 2 of 3

Location View



Defect



Frame leaks. Adjustment infiltration.

Top View



Channel debris

Defect



Frame leaks. Adjustment and Barrel infiltration.

Manhole Inspection Summary

Manhole # S33QQ_007MH

Printed On: 12/17/2008 Page 3 of 3

8 in. Circular Gravity Sewer Pipe Out @ 12 O'Clock



Barrel deterioration and infiltration.

Rod and Bar (Angle	d)
Pipe Material: Clay	☐ Pipe Lined
Invert Depth: 7.25	(ft.) Flow Characteristics: None
Deposits: None	✓ Mud ☐ Sludge ✓ Debris ☐ Grease
011.5 // 0.55 //	

Silt Depth: **0.05** (in.) Deposits Extent: **Light**Infiltration: **Evidence** Pipe Seal Cond: **Unknown**

Connects To: **Manhole**Possible Illicit Connection